

FANOCCI

FANOCCI



FIORE

Unique&Excellent

FOSHAN FIORE CERAMICS CO., LTD

info@fioreceramics.com
http://www.fioreceramics.com



FANOCCI

COLOR

Surface: Matt



BIANCO



BEIGE



GRIGIO




NERO

The home is increasingly the ideal setting for redefining the boundaries between indoors and outdoors in new living opportunities.


In fact, outdoor areas are being transformed into the natural extension of indoor spaces, in close and positive connection with the surrounding habitat.

SIZES

900*180mm
36"×72"




600*1200mm
24"×48"



THICKNESSES 10mm

600*600mm
24"×24"



300*600mm
12"×24"





BIANCO 918FN01
900*1800mm 36"×72"

BIANCO

The stone has a strong stratification, due to the course of time, and is characterized by uneven chromatic surfaces, which makes the product soft, extremely elegant and combinable with other types of materials, such as wood, metal and concrete.




SIZE 

36FN01	300*600mm	12"×24"
60FN01	600*600mm	24"×24"
612FN01	600*1200mm	24"×48"
918FN01	900*1800mm	36"×72"



BIANCO 612FN01
600*1200mm 24"×48"



BIANCO 60FN01
600*600mm 24"×24"




BIANCO 36FN01 300*600mm 12"×24"
60FN01 600*600mm 24"×24"

BEIGE

Feel the spring comes, Bower bleeding,
bath in the summer rain as well as the autumn breezes,
we disclose our respect and longing to the nature and life without consciousness.



SIZE



36FN02 300*600mm 12"×24"
60FN02 600*600mm 24"×24"
612FN02 600*1200mm 24"×48"
918FN02 900*1800mm 36"×72"



BEIGE 612FN02
600*1200mm 24"×48"



BEIGE 60FN02
600*600mm 24"×24"




BEIGE
150*600mm 6"×24"



The construction of a hybrid space where shapes, formats and colour combinations become the core of the installation project through a game of perspectives that attracts the attention of the observer.

BEIGE 612FN02 600*1200mm 24"×48"




FA
NO
CI



GRIGIO 612FN05
600*1200mm 24"×48"

GRIGIO

Creativity and innovative design are key to a process of constant renewal that drives to achieve the utmost product quality through versatile ceramic solutions.



36FN05 300*600mm 12"×24"
60FN05 600*600mm 24"×24"
612FN05 600*1200mm 24"×48"
918FN05 900*1800mm 36"×72"



GRIGIO 60FN05
600*600mm 24"×24"







GRIGIO 612FN05
600*1200mm 24"×48"

NERO

The beauty of colours speaks a universal language, capable of uniting the world's different cultures and ethnic groups. And it is precisely this extraordinary chromatic power that inspired to create the series.



SIZE		36FN09 300*600mm 12"×24"
		60FN09 600*600mm 24"×24"
		612FN09 600*1200mm 24"×48"
		918FN09 900*1800mm 36"×72"



NERO
36FN09 300*600mm 12"×24"
60FN09 600*600mm 24"×24"



NERO 612FN09
600*1200mm 24"×48"




NERO 60FN09 600*600mm 24"×24"

MOSAICS







Mosaics BIANCO | BEIGE | NERO | GRIGIO




BIANCO | NERO | GRIGIO
300*300mm 12"x12"



NERO | GRIGIO
295*295mm 11.8"x11.8"



BIANCO | NERO | GRIGIO
300*300mm 12"x12"




BEIGE | NERO | GRIGIO
300*300mm 12"x12"




BIANCO | NERO | GRIGIO
260*300mm 10.4"x12"




BEIGE | NERO
300*300mm 12"x12"



BIANCO | NERO | GRIGIO
275*275mm 11"x11"



BIANCO | NERO | GRIGIO
320*320mm 12.8"x12.8"



BIANCO | NERO | GRIGIO
300*300mm 12"x12"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	FIORE VALUES
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	ISO 10545-2	±0.3%	-0.08~-0.05%
WIDTH	ISO 10545-2	±0.3%	-0.08~-0.05%
THICKNESS	ISO 10545-2	±5%	+0.1%~+2.1%
FLATNESS	ISO 10545-2	±0.4%	-0.06%~+0.04%
PHYSICAL PROPERTIES			
WATER ABSORPTION	ISO 10545-3	≤ 0.5%	≤ 0.5%
BREAKING STRENGTH	ISO 10545-4	≥ 1300N	2120N
MODULUS OF RUPTURE	ISO 10545-4	≥ 35N/mm ²	46.3N/mm ²
RESISTANCE TO ABRASION	ISO 10545-7	-	CLASS 3
THERMAL EXPANSION COEFFICIENT	ISO 10545-8	-	5.7×10 ⁶ °C ⁻¹
THERMAL SHOCK RESISTANCE	ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	FULLY RESISTANCE
FROST RESISTANCE	ISO 10545-12	"NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE"	FULLY RESISTANCE
SLIP RESISTANCE	AS 4586-2013	R9-R13	≥ R9
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING SALTS	ISO 10545-13	MINIMUM B	A
RESISTANCE TO STAINING	ISO 10545-14	MINIMUM CLASS 3	CLASS 5

Packing Details

COLLECTION	Sizes	Pcs/Ctn	M ² /Ctn	Kgs/Ctn	Ctns/Plt	M ² /Plt	Kg/Plt
FANOCI	90x180-36"x72"	2	3.24	90	31	100.44	2790
	60x120-24"x48"	2	1.44	34	60	80.64	2040
	60x60 -24"x24"	4	1.44	31	40	57.6	1240
	30x60 -12"x24"	8	1.44	30.5	40	57.6	1220
	30x30 -12"x12"	11	0.99	22	54	53.46	1188
	30x30 -12"x12" Mosaic	11	0.99	22	54	53.46	1188

SHADE VARIATION	V1	Uniform appearance V1	V2	Slight variation V2	V3	Moderate variation V3	V4	Substantial variation V4
-----------------	----	-----------------------	----	---------------------	----	-----------------------	----	--------------------------