

TRAVERTINE

LIGHT
BIANCO
GRIGIO

FOSHAN FIORE CERAMICS CO., LTD

info@fioreceramics.com

<http://www.fioreceramics.com>



FIORE


Unique&Excellent



LIGHT




SIZE



36TT01 300*600mm 12"×24"
60TT01 600*600mm 24"×24"
612TT01 600*1200mm 24"×48"
918TT01 900*1800mm 36"×72"

TRAVERTINE

The stone has a strong stratification, due to the course of time, and is characterized by uneven chromatic surfaces, which makes the product soft, extremely elegant and combinable with other types of materials, such as wood, metal and concrete.





LIGHT 612TT01 600*1200mm 24"×48"




LIGHT 60TT01 600*600mm 24"×24"

BIANCO

The beauty of colours speaks a universal language, capable of uniting the world's different cultures and ethnic groups. And it is precisely this extraordinary chromatic power that inspired to create the series.



SIZE



36TT02 300*600mm 12"×24"
60TT02 600*600mm 24"×24"
612TT02 600*1200mm 24"×48"
918TT02 900*1800mm 36"×72"

TRAVERTINE



BIANCO 36TT02 300*600mm 12"×24"



BIANCO 612TT02 600*1200mm 24"×48"



BIANCO 612TT02 600*1200mm 24"×48"

TRAVERTINE




GRIGIO

The collection responds to today's latest architectural trends, expressing the exclusive, impeccable style that is contemporary beauty.



SIZE



36TT05 300*600mm 12"×24"
60TT05 600*600mm 24"×24"
612TT05 600*1200mm 24"×48"
918TT05 900*1800mm 36"×72"



GRIGIO 918TT05 900*1800mm 36"×72"




GRIGIO 918TT05 900*1800mm 36"×72"

MOSAICS



BIANCO 150*600mm 6"×24"

Everybody has one corner place that would like only share with the most important person in his life. Keeping silent, waiting quietly.



LIGHT 300*300mm 12"×12"

Mosaics

LIGHT | BIANCO | GRIGIO



LIGHT
300*300mm 12"x12"



BIANCO
300*300mm 12"x12"



GRIGIO
300*300mm 12"x12"



LIGHT
300x312mm 12"x12.48"




BIANCO
300x312mm 12"x12.48"



GRIGIO
300x312mm 12"x12.48"



LIGHT
300*300mm 23*148



BIANCO
300*300mm 23*148



GRIGIO
300*300mm 23*148

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	FIORE VALUES
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	ISO 10545-2	±0.3%	-0.08~-0.05%
WIDTH	ISO 10545-2	±0.3%	-0.08~-0.05%
THICKNESS	ISO 10545-2	±5%	+0.1%~+2.1%
FLATNESS	ISO 10545-2	±0.4%	-0.06%~+0.04%
PHYSICAL PROPERTIES			
WATER ABSORPTION	ISO 10545-3	≤ 0.5%	≤ 0.5%
BREAKING STRENGTH	ISO 10545-4	≥ 1300N	2120N
MODULUS OF RUPTURE	ISO 10545-4	≥ 35N/mm ²	46.3N/mm ²
RESISTANCE TO ABRASION	ISO 10545-7	-	CLASS 3
THERMAL EXPANSION COEFFICIENT	ISO 10545-8	-	5.7×10 ⁶ °C ⁻¹
THERMAL SHOCK RESISTANCE	ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	FULLY RESISTANCE
FROST RESISTANCE	ISO 10545-12	*NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE*	FULLY RESISTANCE
SLIP RESISTANCE	AS 4586-2013	R9-R13	≥ R10
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING SALTS	ISO 10545-13	MINIMUM B	A
RESISTANCE TO STAINING	ISO 10545-14	MINIMUM CLASS 3	CLASS 5

Packing Details

COLLECTION	Sizes	Pcs/Ctn	M ² /Ctn	Kgs/Ctn	Ctns/Plt	M ² /Plt	Kg/Plt
TRAVERTINE	90x180-36"x72"	2	3.24	90	31	100.44	2790
	60x120-24"x48"	2	1.44	34	60	80.64	2040
	60x60 -24"x24"	4	1.44	31	40	57.6	1240
	30x60 -12"x24"	8	1.44	30.5	40	57.6	1220
	30x30 -12"x12"	11	0.99	22	54	53.46	1188
	30x30 -12"x12" Mosaic	11	0.99	22	54	53.46	1188

SHADE VARIATION	V1	Uniform appearance V1	Slight variation V2	Moderate variation V3	Substantial variation V4